



सुन्दरहरैँचा नगरपालिका

SUNDARHARAINCHA MUNICIPALITY

नगर कार्यपालिकाको कार्यालय

Office of Municipal Executive

विराटचौक, मोरङ

Biratchowk, Morang

कोशी प्रदेश, नेपाल

Koshi Province, Nepal



F/Y प.सं.०८२/०८३

Ref/ च.नं. १९९९



मिति २०८२/०८/०७

श्री सप्लायर्सहरु (सबै)

विषय – लागत अनुमान तयारी प्रयोजनका लागि दररेट उपलब्ध गराउने सम्बन्धमा ।

उपरोक्त सम्बन्धमा यस सुन्दरहरैँचा नगरपालिका अन्तर्गत रहेका सामुदायिक विद्यालयका छात्राहरुको लागि निशुल्क रुपमा सेनिटरी प्याड खरिद गरी वितरण गर्ने प्रयोजनको लागि हालको प्रचलित बजार मूल्य आवश्यक परेको हुँदा प्रति इकाई दररेट (भ्याट बाहेक) यस कार्यालयमा पठाइदिनुहुन अनुरोध छ । साथै उक्त सेनिटरी प्याडको आधिकारीक स्पेसिफिकेसन यसै पत्रसाथ संलग्न गरिएको छ ।

२/२५/२०८२
गणेश्वर राई
प्रमुख प्रशासकीय अधिकृत

“सुन्दरहरैँचाको पहिचान: समृद्धि र सुशासन”

PhoneNo.:- 021-547050, 547822, Fire Brigade: - 021-547666

Website: www.sundarharaichamun.gov.np, Email: sundarharaichamun@gmail.com

सेनीटरी प्याड वितरण तथा व्यवस्थापन कार्यविधि, २०७६

अनुसूची -१

(दफा ३ को उपदफा ४ संग सम्बन्धित)

सेनीटरी प्याडको न्यूनतम मापदण्ड

S.N	CRITERIA	REQUIREMENT SPECIFICATION	OFFERED SPECIFICATION
1	Type and physical finishing	Regular with wing, napkin with uniform thickness throughout without any wrinkles and distortion. The sanitary napkins shall have a soft feel and when worn shall not chafe or give any uncomfortable feeling. They shall be free from all sort of foreign matter.	
2	Raw Material permitted	a. Absorbent filter : plant-based raw materials such as wood pulp, cellulose pulp, bamboo fiber, banana fiber and com which have natural sterilization effects, tissue paper, pure cotton, shall be free from lumps, oil spots sirt or foreign material. b. Covering : The covering of the absorbent filter shall be of a good quality cotton or rayon knitted se c. Leeving, gauze or non – woven fabric with sufficient porosity to permit the assembled pad to meet absorbency requirements .	
3	size	Lenth ≥ 270mm.(absorbent core only) Width 60 – 100mm.(absorbent core only)	
4	Absorbency	The sanitary pad shall absorb at least 40ml pf colored distilled water or oxalated sheep or goat blood or test fluid when poured to the corner of napkin(At the rate of 15 ml per minute from height of 1-2 mm .After napkin has absorbed full coloured sistill water keep weight of 1 kg) and it shall not show up at the bottom or side of leakage at the sanitary napkin	
5	Disposability	Each pad may be folded and shall be provided with a pull away cover, preferably environment friendly for dispose of pads after use.	
6	Colour	The product shall be white in colour for most of the areas and shall be free from unpleasant colour .	
7	PH value	Free from acid and alkali ,PH absorbent material shall be 6-8.5(tested as per the method given in Insian Standard 1390).	
8	Hygiene testing requirements	Totle viable count (total number of bacteria and fungi)shall be not more then 1000 cfu/gm and absence of Staphylococcus aureus, candida albicans and pseudomonas Aeruginosa etc. The napkin shall be tested for the presence of Staphylococcus aureus accordance with is 5887 (part 2).	
9	Marking /labelling :	Each consumer pack shall be legibly and indelibly market with manufactures name or trademark number of sanitary napkins contained in it and size designation in addition to the followings :	




गणेशराज काकी
प्रमुख प्रशासकीय अधिकृत

		A. Direction of use B .Disposability instruction. c. Batch/lot no. d. Manufacture date,expiry date	
10	Packaging type	Package shall be with good seal integrity to protect the item from moisture and contamination during storage and transportation.	
11	Packaging Size	Minimum 8 pads per pack .	
12	Biodegradability or Composability requirements	At last 90% degrade within 6 months (testing is Performed and conformed from recognized and approved laboratory)	

(Signature)

(Signature)



(Signature)
प्रमुख प्रशासकीय अधिकृत