Bid Addendum Report



Sundarharaicha Municipality

Sundarharaicha Municipality
Morang
Koshi Haraicha, Morang
Province One
Biratchowk, Sundarharaicha Municipality
Nepal

Addendum No: 1

Published On: 19-05-2023 14:00

Invitation No: SHM/MOR/NCB/W-12/2079/080

Dated On: 27-04-2023 10:00

GH.

A Mario de M

Chapter: Bid Data Sheet

St. No.	Relevant Clause	Existing Clause	Modified Clause
1	ITB 16.1	mmm _	(444)

Chapter: Evaluation and Qualification Criteria

Sl. No.	Existing Criteria	Modified Criteria	Latest Criteria Description
1	Newly Added	Not ammended	Not ammended
2	Newly Added	Not ammended	Not ammended
3	Newly Added	Eligibility	Power of Attorney, Self Declaration, Letter of Bid is mandatory

Chapter: Bill of Quantities

	,			Procument Item Deta	uils		
SL. No	Item Description			Unit	Quantity	Unit Rate(in NPR)	Amount(in NPR)
. 1	Insurance of works, equipment, workforces, employees and Third party Insurance against damage to other persons and property.		Ps	1	152500	152500	
2	Lab Testing of materials and wor and instructed by Engineer	r requiremen	t Ps.	1	159500	159500	
	anstruction work					The state of the s	31.0.1.0.1.0.1.0.1.0.1.0.1.0.1.0.1.0.1.0
*****	an and a side of the production when the last company to the delication and product the last company last company and the comp			Procument Item Det	ails		
SL. No	Item Description	Ünit	Quantity	Bidder's Rate(NPR)	Bidder	's Rate (in words)	Total Amount(NPR)
l	Provide and instalation of project information Board 1.0 x 1.50m in iron posts including cost of excavation, M10 concrete for foundation, backfill and all other incidental work so as to complete the work as specified & Site Cleareance works	Nos.	6.0		9	वित्र स्टब्स्स कर के कि	

af.

LX

12 miles

Item Description Losening, leveling and Compacting original ground supporting embankment to facilitate placement of first layer of embankment, scarrifed to a depth of 150 mm, mixed with water at OMC and then compacted by rolling so as to achieve thy density as per Drawing and Technical Specifications. By Mechanical means. Providing and laying granular sub-base on prepared surface. Providing and laying granular sub-base on prepared surface. Specifications. By Mechanical means. Providing and Laying Crusher Run Macadam on a prepared surface supreading and too make the sub-base on prepared surface. Providing and Laying Crusher Run Macadam on a prepared surface spreading and mixing, watering and compacting to form a layer of Base course. Providing and playing prime cont with Hol Bitunen (including and applying prime cont with Hol Bitunen) form a layer of Base course with Hol Bitunen (including cutter) on prepared surface of granular base including cleaning of road surface and sprayingat specification. Providing and applying tack cost with hot Bitunen as specification. Mc30/70. Providing and laying Bituminous concrete/ Asphalt concrete using crushed a ggregates of specification. Mc30/70 By Mechanical Means. Providing and laying Bituminous concrete/ Asphalt concrete using crushed a ggregates of specification. Providing and laying Bituminous concrete/ Asphalt concrete using crushed a ggregates of specification before and filter as per Drawing and Technical Specification. Providing and laying Bituminous concrete/ Asphalt concrete using crushed a ggregates of specification before and filter as per Drawing and Technical Specification. Providing and laying bituminous concrete/ Asphalt concrete using crushed with bituminous binder and filter as per Drawing and Technical Specification. Providing and laying bituminous concrete/ Asphalt concrete using crushed with bituminous binder and filter as per Drawing and Technical Specification. Providing and laying bituminous concrete/ Asphalt concrete using crushed and the provi	Jacob or other process and congress and study are a second and a second a second and a second and a second and a second and a second an	The season of th
Compacting original ground supporting embankment to facilitate placement of first layer of embankment, scarified to a depth of 150 mm, mixed with water at OMC and then compacted by rolling so as to achieve dry density as per Drawing and Technical Specifications. Providing and laying RBM on prepared surface, spreading and to achieve the desired density, complete as per Drawing and Technical Specifications. By Mechanical means. Providing and laying granular auth-base on prepared surface, mixing at OMC, and compacting to achieve the desired density, complete as per Drawing and Technical Specifications. By Mechanical means. Providing and Laying Crusher Run Macadam on a prepared surface, spreading and mixing, watering and compacting to form a layer of Base course as per Drawing and Technical Specification. Providing and applying prine cost with Hot Bitumen (including cutter) on prepared surface of granular base including cleaning of road surface and sprayingtal specified rate by mechanical means as per Technical Specification. MC30/70. Providing and applying tack coatt with hot Bitumen at specified rate on the prepared non-bitumious surfaces pare Technical Specification. MC30/70. Providing and applying tack coatt with hot Bitumen at specified rate on the prepared non-bitumious surfaces pare Technical Specification. MC30/70. Providing and applying tack coatt with hot Bitumen at specified rate on the prepared non-bitumious surfaces and specification. MC30/70 By Mechanical Means. Providing and laying Bituminous concrete/ Asphalt concrete using crushed aggregates of specified grading premixed with bituminous binder and filler as per Drawing and Technical Specifications. Providing and laying block for laying and laying laying and laying block for laying and lay	/ords) T	Total Amount(NPR)
Providing and laying RBM on to achieve the desired density, complete as per Drawing and Technical Specifications. By Mechanical means. Providing and laying granular sub-base on prepared surface, mixing at OMC, and compacting to achieve the desired density, complete as per Drawing and Technical Specifications. By Mechanical means. Providing and Laying Crusher Run Macadam on a prepared surface, spreading and mixing, watering and compacting to form a layer of Base course as per Drawing and Technical Specification. Providing and applying prime coat with Hot Bitumen (including cutter) on prepared surface of granular base including cleaning of road surface and sprayingat specified rate by mechanical means as per Technical Specification. MC30/70. Providing and applying tack coat with thot Bitumen at specified rate on the prepared non-bituminous surfaces including cleaning as per Technical Specification. MC30/70. Providing and laying Bituminous concrete/ Asphalt concrete using crushed aggregates of specifications. Providing and laying Bituminous concrete/ Asphalt concrete using crushed aggregates of specifications. Providing and laying of 80mm thick zigzag cement concrete. 9 (M20/20) interlocking block for (M20/20) interlocking block for		
sub-base on prepared surface, mixing at OMC, and compacting to achieve the desired density, complete as per Drawing and Technical Specifications. By Mechanical means. Providing and Laying Crusher Run Macadam on a prepared surface, spreading and mixing, watering and compacting to form a layer of Base course as per Drawing and Technical Specification. Providing and applying prime coat with Hot Bitumen (including cutter) on prepared surface of granular base including cleaning of road surface and sprayingat specificate by mechanical means as per Technical Specification. MC30/70. Providing and applying tack coat with hot Bitumen at specified rate on the prepared non-bituminous surfaces including cleaning as per Technical Specification. MC30/70 By Mechanical Means. Providing and laying Bituminous concrete/ Asphalt concrete using crushed aggregates of specified grading, premixed with bituminous binder and filter as per Drawing and Technical Specifications. Providing and laying of 80mm thick zigzag cement concrete (MM20/20) interlocking block for Sqm. 2115.0		
Providing and Laying Crusher Run Macadam on a prepared surface, spreading and mixing, 5 watering and compacting to form a layer of Base course as per Drawing and Technical Specification. Providing and applying prime coat with Hot Bitumen (including cutter) on prepared surface of granular base including cleaning of road surface and sprayingat specified rate by mechanical means as per Technical Specification. MC30/70. Providing and applying tack coat with hot Bitumen at specified rate on the prepared non-bituminous surfaces including cleaning as per Technical Specification. MC30/70 By Mechanical Means. Providing and laying Bituminous concrete/ Asphalt concrete using crushed aggregates of specified grading, premixed with bituminous binder and filler as per Drawing and Technical Specifications. Providing and laying of 80mm thick zigzag cement concrete (M20/200) interlocking block for Sqm. 2115.0		
Providing and applying prime coat with Hot Bitumen (including cutter) on prepared surface of granular base including cleaning of road surface and sprayingat specified rate by mechanical means as per Technical Specification. MC30/70. Providing and applying tack coat with hot Bitumen at specified rate on the prepared non-bituminous surfaces including cleaning as per Technical Specification. MC30/70 By Mechanical Means. Providing and laying Bituminous concrete/ Asphalt concrete using crushed aggregates of specified grading, premixed with bituminous binder and filler as per Drawing and Technical Specifications. Providing and laying of 80mm thick zigzag cement concrete (M20/20) interlocking block for Sqm. 2115.0		,
Providing and applying tack coat with hot Bitumen at specified rate on the prepared non-bituminous surfaces including cleaning as per Technical Specification. MC30/70 By Mechanical Means. Providing and laying Bituminous concrete/ Asphalt concrete using crushed aggregates of specified grading, premixed with bituminous binder and filler as per Drawing and Technical Specifications. Providing and laying of 80mm thick zigzag cement concrete (M20/20) interlocking block for Sqm. 2115.0		
Providing and laying Bituminous concrete/ Asphalt concrete using crushed aggregates of specified grading, premixed with bituminous binder and filler as per Drawing and Technical Specifications. Providing and laying of 80mm thick zigzag cement concrete (M20/20) interlocking block for Sqm. 2115.0		
Providing and laying of 80mm thick zigzag cement concrete (M20/20) interlocking block for Sqm. 2115.0	6,60	क्रिक्ट कर के कि
foothpath over 50mm thivck stone dust, all complete.		भारह, कोशा है
10 PSC (As per NEA specifications) pole 9mtr. Nos. 3.0		Jan Jan

Procument Item Details						
SL.	Item Description	Unit	Quantity	Bidder's Rate(NPR)	Bidder's Rate (in words)	Total Amount(NPR)
11	Loading, unloading and transporting psc pole on site, excavationn and filling the hole by erecting pole or relocating the pole all complete work as per instructions of site ennginneer.	L.s.	5.0			
12	Earthwork excavation of foundation of structures, including construction of shoring and bracing, removal of strumps and other deleterious matter and backfilling eith approved materials as per Drawing and Technical specifications. Ordinary soil. By Mechanical Means. Depth upto 3m.	Cum.	60.6			
13	Providing and laying of hand pack Stone soling with 150 to 200 mm thick stones and packing with smaller stone on Road Strecture Foundation Works Drawing and Technical Specifications.	Cum.	22.75			
14	Providing and laying of Plain Cement Concrete M10 (1:3:6 for nominal mix) in Foundation complete as per Drawing and Technical Specifications. By Mechanical mixed	Cum.	9.5			
15	Providing and laying Plum concrete (Boulder mixed concrete) as per Drawing and	Cum.	64.47			
16	Providing, Preparing and Installing form work including necessary supports and	Sqm.	259.0			क्रिक्ट कर के कि

Chapter: Special Conditions of Contract (SCC)

SI. No.	Relevant Clause No / Name	Existing Clause	Modified Clause
	GCC 1.1 (bb)	Er. Sunil Adhikari	Ambika Prasad Chaulagain

Chapter: Price Adjustment

af.

X

Abbreviations

BDBio	dding Document
BDF	
BDS Bio	
BOQ	
COFCo	
DP	evelopment Partners
DoLI D	epartment of Local Infrastructure
ELI EI	
EQC	valuation and Qualification Criteria
EXP	
FIN Fi	inancial .
GCC	eneral Conditions of Contract
GoN¹	overnment of Nepal
ICC	iternational Chamber of Commerce
IFBIn	
ITB	
JV	
_ LITL	
NCB	lational Competitive Bidding
PAN	
PPA	
PPMO F	Public Procurement Monitoring Office
PPR F	
PLF	
SBD	Standard Bidding Document
SCC	Special Conditions of Contract
TS	
VAT	Value Added Tax

¹ "GoN" word indicates all public entities according to Public Procurement Act, 2063

af.

lic Procurement Act, 2063



SPECIFICATION

As per Nepal Government Department of Road Norms

www.dor.gov.np

af.

IN)